			{4}
	Application No.	Applicant(s)	
	10/087,788	WU ET AL	
Notice of Allowability	Examiner	Art Unit	
	Dzung D Tran	2633	
The MAILING DATE of this communication All claims being allowable, PROSECUTION ON THE MERIT herewith (or previously mailed), a Notice of Allowance (PTO NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATE of the Office or upon petition by the applicant. See 37 CFR	S IS (OR REMAINS) CLOSED in L-85) or other appropriate commuNT RIGHTS. This application is s	nthis application. If not inclu unication will be mailed in du	uded ue course. THIS
1. \boxtimes This communication is responsive to <u>03/05/2002</u> .			
2. ☑ The allowed claim(s) is/are <u>1-15</u> .			
3. $igotimes$ The drawings filed on <u>05 March 2002</u> are accepted b	y the Examiner.		
4. Acknowledgment is made of a claim for foreign prio a) All b) Some* c) None of the: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the prior International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING Danced below. Failure to timely comply will result in ABAND THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be INFORMAL PATENT APPLICATION (PTO-152) which including changes required by the Notice of Draff (a) including changes required by the Notice of Draff (b) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Exam Paper No./Mail Date Identifying indicia such as the application number (see 37 deach sheet. Replacement sheet(s) should be labeled as such as the application number (see 37 deach sheet. Replacement sheet(s) should be labeled as such as the application number (see 37 deach sheet. Replacement sheet(s) should be labeled as such as the application number (see 37 deach sheet. Replacement sheet(s) should be labeled as such as the application number (see 37 deach sheet. Replacement sheet(s) should be labeled as such as the application number (see 37 deach sheet. Replacement sheet(s) should be labeled as such as the application number (see 37 deach sheet. Replacement sheet(s) should be labeled as such as the application number (see 37 deach sheet. Replacement sheet(s) should be labeled as such as the application number (see 37 deach sheet. Replacement sheet(s) should be labeled as such as the application number (see 37 deach sheet. Replacement sheet(s) should be labeled as such as the application number (see 37 deach sheet. Replacement sheet(s) should be labeled as such as the application number (see 37 deach sheet. Replacement sheet(s) should be labeled as such as the application number (see 37 deach sheet. Replacement sheet(s) should be labeled as such as the application number (see 37	have been received. have been received in Application by documents have been received. ATE" of this communication to file DONMENT of this application. submitted. Note the attached EXA higives reason(s) why the oath or must be submitted. sperson's Patent Drawing Review in the header according to 37 CF deposit of BIOLOGICAL MATE	n No If in this national stage applies a reply complying with the AMINER'S AMENDMENT of declaration is deficient. If (PTO-948) attached in the Office action of the drawings in the front (not the 1.121(d). ERIAL must be submitted	requirements r NOTICE OF
attached Examiner's comment regarding REQUIREM	ENT FOR THE DEPOSIT OF BIC	DLOGICAL MATERIAL.	
Attachment(s)			
1. Notice of References Cited (PTO-892)	_	formal Patent Application (F	PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-		ummary (PTO-413), Mail Date	
 Information Disclosure Statements (PTO-1449 or PTO Paper No./Mail Date <u>03/21/2003</u> 	/SB/08), 7.	Amendment/Comment	
 Examiner's Comment Regarding Requirement for Dep of Riological Material 	osit 8. 🗌 Examiner's 9. 🔲 Other	Statement of Reasons for A	
of Biological Material	9. [] Other	m. Il Sec	lighia_
		M. R. SEDIGH PRIMARY EXAN	IIAN

Application/Control Number: 10/087,788 Page 2

Art Unit: 2633

DETAILED ACTION

Allowable Subject Matter

1. Claims 1-20 are allowed. The following is an examiner's statement of reasons for allowance: The prior art of records does not teach or suggest the limitations <u>"a</u> unified database that maintains optical link state information independent of data structure of underlying routing protocols and a protocol independent generic interface between the unified database and applications requiring access to the optical link state information" in claims 1 and 11. The closest prior art, Houston et al. (US 6,778,541) discloses Dynamic data tunneling and Andersson et al. (US publication no. 2002/0004843) discloses System, device and method for bypassing network changes in a routed communication network, either singularly or in combination, fail to anticipate or render the above underlined limitations obvious.

Conclusion

- 2. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.
- a. Houston et al. U.S. publication no. 2002/0067731. Dynamic data tunneling
- b. Andersson et al. U.S. publication no. 2002/0004843. System, device and method for bypassing network changes in a routed communication network
- c. Houston et al. U.S. patent no. 6,778,541. Dynamic data tunneling

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dzung Tran whose telephone number is (571) 272-3025.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's Supervisor, Jason Chan, can be reached on (571) 272-3022.

The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 305-3900.

DT

03/05/2005

M. R. SEDIGHIAN